

|                                   | rearTWIST    | rearTWIST   | rearTWIST  | Cable Jack<br>& Panel | Pin Crimp |       | Hex Crimp | Stripping |            |            |              |  |
|-----------------------------------|--------------|-------------|------------|-----------------------|-----------|-------|-----------|-----------|------------|------------|--------------|--|
|                                   | UHD          | HD          | HD Tiny    |                       | in mm     | in mm | in mm     | Tool      |            |            |              |  |
|                                   |              |             |            |                       | UHD       | HD    |           | CS-BNC-RT | CS-BNC-LCS | CS-BNC-LCV | + CS-BNC-TCI |  |
| <b>Belden</b>                     |              |             |            |                       |           |       |           |           |            |            |              |  |
| Belden 1277R, 1278R, 1279R        |              |             | NBTC75BNN5 |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Belden 1406B, 1407B, 1417B        |              |             | NBTC75BVV5 |                       |           | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| Belden 1426A, 1505A (ANH)         | NBNC75BLP9X  | NBNC75BLP9  |            | NBNB75GLP9            | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Belden 1505F                      |              | NBNC75BJP9  |            |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Belden 1506A                      |              | NBNC75BIJ9  |            |                       | 1.07      | 1.6   | 5.41      | ●         | -          | -          | -            |  |
| Belden 1520A, 1521A, 1522A, 179DT |              |             | NBTC75BFI4 | NBTB75CFI4            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| Belden 1694A (ANH)                | NBNC75BTU11X | NBNC75BTU11 |            |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Belden 1694F                      |              | NBNC75BRU11 |            |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Belden 1695A                      |              | NBNC75BQP11 |            |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Belden 1855A                      |              | NBNC75BDD6  |            |                       |           | 1.6   | 4.53      | ●         | -          | -          | -            |  |
| Belden 1865A                      |              |             | NBTC75BXX6 |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| Belden 1855ENH                    | NBNC75BFG7X  | NBNC75BFG7  |            |                       |           | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Belden 7731A (ANH)                |              | NBLC75BVZ17 |            |                       |           | 1.8   | 10.00     | -         | -          | ●          | -            |  |
| Belden 8218                       |              |             | NBTC75BXX5 |                       |           | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| Belden 8241                       | NBNC75BLP7X  | NBNC75BLP7  |            |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Belden 8241F                      | NBNC75BLP9X  | NBNC75BLP9  |            | NBNB75GLP9            |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Belden 8281                       |              | NBNC75BXY9  |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| Belden 8281F                      |              | NBNC75BYY9  |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| Belden 9221                       |              |             | NBTC75BLI4 |                       |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| Belden 1794A                      |              | NBNC75BZV14 |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| <b>Canare</b>                     |              |             |            |                       |           |       |           |           |            |            |              |  |
| Canare L-3CFB, L-3C2VS            |              | NBNC75BHK7  |            |                       |           | 1.6   | 5.41      | ●         | -          | -          | -            |  |
| Canare L-4CFB                     | NBNC75BLP9X  | NBNC75BLP9  |            | NBNB75GLP9            | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Canare L-4.5CHD, L-4.5CHWS        | NBNC75BTU11X | NBNC75BTU11 |            |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Canare L-5CFB                     |              | NBNC75BYY11 |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| Canare LV-61S                     | NBNC75BLP7X  | NBNC75BLP7  |            |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Canare LV-77S                     |              | NBNC75BYY9  |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| Canare V(3-5)-3C                  |              | NBNC75BGG7  |            |                       |           | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Canare V(3-5)-4CFB                |              | NBNC75BIJ9  |            |                       |           | 1.6   | 5.41      | ●         | -          | -          | -            |  |
| Canare V(3-5)-5C                  |              | NBNC75BRS9  |            |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| Canare V(3-5)-5CFB                |              | NBNC75BWS11 |            |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| Canare L-1.5C2VS                  |              |             | NBTC75BLI4 |                       |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| Canare L-3CFW                     |              | NBNC75BLP7  |            |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Canare L-5CFW                     |              | NBNC75BYY11 |            |                       |           | 1.6   | 8.23      | ●         | -          | -          | -            |  |
| <b>Canford</b>                    |              |             |            |                       |           |       |           |           |            |            |              |  |
| Canford SDV-M                     |              | NBTB75CNN5  |            |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Canford SDV, SDV-X, SDM           |              | NBNC75BFG7  |            |                       |           | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Canford SDV-L, SDV-F              |              | NBNC75BWS11 |            |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| Canford SDV-HD                    |              | NBLC75BVZ17 |            |                       |           | 1.8   | 10.00     | -         | -          | ●          | -            |  |
| Canford SDV-F-HD                  |              | NBNC75BWU13 |            |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Canford VCS (BBC PSF1/3)          |              | NBNC75BLS7  |            |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| <b>Clark</b>                      |              |             |            |                       |           |       |           |           |            |            |              |  |
| Clark CD7559-0, CD7559F-0         | NBNC75BLP9X  | NBNC75BLP9  |            |                       |           | 1.07  | 1.6       | 6.47      | ●          | -          | -            |  |
| Clark CD7523-7                    | NBNC75BDD6X  | NBNC75BDD6  |            |                       | 1.07      | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Clark CD7506-0                    | NBNC75BTU11X | NBNC75BTU11 |            |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Clark CD7506F-0                   |              | NBNC75BRU11 |            |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| <b>Commscope</b>                  |              |             |            |                       |           |       |           |           |            |            |              |  |
| Commscope 2065V                   |              | NBNC75BIJ9  |            |                       |           | 1.6   | 5.41      | ●         | -          | -          | -            |  |
| Commscope 2279V                   |              | NBNC75BQP11 |            |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Commscope 5563                    |              | NBNC75BLP7  |            |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Commscope 5565                    | NBNC75BLP9X  | NBNC75BLP9  |            | NBNB75GLP9            | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Commscope 5765                    | NBNC75BTU11X | NBNC75BTU11 |            |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Commscope 7536 (03-05)            |              |             | NBTC75BXX6 |                       |           | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| Commscope 7538                    | NBNC75BDD6X  | NBNC75BDD6  |            |                       | 1.07      | 1.6   | 4.53      | ●         | -          | -          | -            |  |

|   | rearTWIST    | rearTWIST   | rearTWIST   | Cable Jack<br>& Panel | Pin Crimp |     | Hex Crimp | Stripping |      |           |            |            |
|---|--------------|-------------|-------------|-----------------------|-----------|-----|-----------|-----------|------|-----------|------------|------------|
|   | UHD          | HD          | HD Tiny     |                       | UHD       | HD  | in mm     | in mm     | Tool | CS-BNC-RT | CS-BNC-LCS | CS-BNC-LCV |
| <b>Draka Multimedia Cable</b>   |              |             |             |                       |           |     |           |           |      |           |            |            |
| 0.31 / 1.45 AF, 753-1304(2),<br>755-1302                                |              |             | NBTC75BFI4  | NBTB75CFI4            |           |     | 1.6       | 4.06      | ●    | -         | -          | ●          |
| 0.41 / 1.9 AF, 753-1104, 755-1103,<br>755-1101                          |              |             | NBTC75BNN5  | NBTB75CNN5            |           |     | 1.6       | 4.53      | ●    | -         | -          | ●          |
| 0.51 / 2.3 Dz, 757-1001, VADN 7243                                      |              |             | NBTC75BVX6  |                       |           |     | 1.6       | 5.00      | ●    | -         | -          | ●          |
| 0.6 / 2.8 AF, 0.6 L / 2.8 AF<br>HD Pro 0.6/2.8 AF                       | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6 | 5.00      | 5.00      | ●    | -         | -          | -          |
| 0.6 / 3.7, 0.6L / 3.7   | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| 0.6 / 3.7 Dz  |              | NBNC75BLS7  |             |                       |           |     | 1.6       | 7.01      | ●    | -         | -          | -          |
| 0.8 / 3.7 AF, 755-801(803, 804)<br>Highflex 08L/3.7D, HD Pro 0.8/3.7 AF | NBNC75BLP9X  | NBNC75BLP9  |             | NBNB75GLP9            | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| 0.8 / 4.9 Dz  |              | NBNC75BXY9  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| 1.0 / 4.8 AF, 755-901/5   |              | NBNC75BUU11 |             | NBNB75GUU11           | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| 1.2L / 4.8Dz, 1.2L / 4.95AF   |              | NBNC75BWU13 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |
| 1.4 / 6.6 AF  |              | NBLC75BSX14 |             |                       |           |     | 1.75      | 9.73      | -    | ●         | -          | -          |
| 1.6 / 7.3AF   |              | NBLC75BVZ17 |             |                       |           |     | 1.8       | 10.00     | -    | -         | ●          | -          |
| <b>Suhner</b>   |              |             |             |                       |           |     |           |           |      |           |            |            |
| Suhner G02233   |              |             | NBTC75BFI4  | NBTB75CFI4            |           |     | 1.6       | 4.06      | ●    | -         | -          | ●          |
| Suhner G04233D  |              | NBNC75BLS7  |             |                       |           |     | 1.6       | 7.01      | ●    | -         | -          | -          |
| Suhner S02223   |              |             | NBTC75BLI4  |                       |           |     | 1.6       | 4.06      | ●    | -         | -          | ●          |
| Suhner S04233, S04263   | NBNC75BLP9X  | NBNC75BLP9  |             | NBNB75GLP9            | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| Suhner S05133-07  | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| Suhner S05163-02  | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| <b>Percon</b>   |              |             |             |                       |           |     |           |           |      |           |            |            |
| Percon VK2  |              |             | NBTC75BNN5  |                       |           |     | 1.6       | 4.53      | ●    | -         | -          | ●          |
| Percon VK5  | NBNC75BFG7X  | NBNC75BFG7  |             |                       |           |     | 1.6       | 5.00      | ●    | -         | -          | -          |
| Percon VK6  | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| Percon VK7  |              | NBNC75BUU11 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |
| Percon VK77   | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| Percon VK770F   |              | NBNC75BWU13 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |
| Percon VK8  |              | NBLC75BSX14 |             |                       |           |     | 1.75      | 9.73      | -    | ●         | -          | -          |
| Percon VK9  |              | NBLC75BVZ17 |             |                       |           |     | 1.8       | 10.0      | -    | -         | ●          | -          |
| Percon VK95   | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| <b>Van Damme</b>  |              |             |             |                       |           |     |           |           |      |           |            |            |
| Van Damme 268-175-000   |              | NBNC75BUU11 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |
| Van Damme 268-275-000   |              | NBNC75BJP9  |             |                       |           |     | 1.6       | 6.47      | ●    | -         | -          | -          |
| Van Damme 268-306-000   | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| Van Damme 268-408-000   |              |             | NBTC75BFI14 |                       |           |     | 1.6       | 6.47      | ●    | -         | -          | ●          |
| Van Damme 268-475-000   | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| Van Damme 268-675-000   | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6 | 7.36      | 7.36      | ●    | -         | -          | -          |
| Van Damme 278-475-000   |              | NBLC75BVZ17 |             |                       |           |     | 1.8       | 10.00     | -    | -         | ●          | -          |
| Van Damme 278-175-000   |              | NBNC75BUU11 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |
| Van Damme 278-975-000   | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6 | 6.47      | 6.47      | ●    | -         | -          | -          |
| Van Damme 278-775-000   |              |             | NBTC75BSS5  |                       |           |     | 1.6       | 4.53      | ●    | -         | -          | ●          |
| Van Damme 278-075-000   | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6 | 5.00      | 5.00      | ●    | -         | -          | -          |
| Van Damme 278-075-006   | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6 | 5.00      | 5.00      | ●    | -         | -          | -          |
| Van Damme 278-375-000   |              | NBNC75BUU11 |             |                       |           |     | 1.6       | 7.36      | ●    | -         | -          | -          |

|                                       | rearTWIST    | rearTWIST   | rearTWIST   | Cable Jack<br>& Panel | Pin Crimp |       | Hex Crimp | Stripping |            |            |              |  |
|---------------------------------------|--------------|-------------|-------------|-----------------------|-----------|-------|-----------|-----------|------------|------------|--------------|--|
|                                       | UHD          | HD          | HD Tiny     |                       | in mm     | in mm | in mm     | Tool      |            |            |              |  |
|                                       |              |             |             |                       | UHD       | HD    |           | CS-BNC-RT | CS-BNC-LCS | CS-BNC-LCV | + CS-BNC-TCI |  |
| <b>Argosy Image</b>                   |              |             |             |                       |           |       |           |           |            |            |              |  |
| Argosy Image 360                      | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Argosy Image 720                      | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Argosy Image 1000                     | NBNC75BTU11X | NBNC75BUU11 |             | NBNB75GUU11           | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| <b>CAE</b>                            |              |             |             |                       |           |       |           |           |            |            |              |  |
| CAE MC75                              |              |             | NBTC75BLI5  | NBTB75CLI5            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| CAE MC75.39                           |              |             | NBTC75BVX6  |                       |           | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| CAE KX6A                              | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| CAE VCB75                             |              | NBNC75BNP9  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| CAE VCB 100                           |              | NBNC75BXU13 |             |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| <b>Cordial</b>                        |              |             |             |                       |           |       |           |           |            |            |              |  |
| Cordial CVI 3-7                       | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 4.53      | ●         | -          | -          | -            |  |
| Cordial CVI 06-28                     | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Cordial CVI 06-28HD, CVI 06-28HD-FRNC |              | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Cordial CVI (CVM) 06-37               | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Cordial CVI 08-37 HD-FRNC             |              | NBNC75BNP9  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Cordial CVI 10-48 HD                  |              | NBNC75BUU11 |             |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Cordial CVI 10-48 HD-FRNC             |              | NBNC75BWS11 |             |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| Cordial CVM 08-32 HD-FLEX             |              | NBNC75BIJ9  |             |                       |           | 1.6   | 5.41      | ●         | -          | -          | -            |  |
| Cordial CVM 12-50 HD-FLEX             |              | NBNC75BVU13 |             |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| <b>Kabeltronik</b>                    |              |             |             |                       |           |       |           |           |            |            |              |  |
| Kabeltronik HFV 1.0/4.8 AF-FRNC       |              | NBNC75BRU11 |             |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Kabeltronik HFV 0.6/2.8 AF-FRNC       | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Kabeltronik MVP 5x 0.6/2.8 AF-FRNC    | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| <b>KLOTZ</b>                          |              |             |             |                       |           |       |           |           |            |            |              |  |
| KLOTZ V06/28, V062SH, VMXx75Y         | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| KLOTZ V06/37                          | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| KLOTZ V08/37H, VD0835H                | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| KLOTZ V10/48, V10/48H                 | NBNC75BTU11X | NBNC75BUU11 |             | NBNB75GUU11           | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| KLOTZ V16/72                          |              | NBNC75BVZ17 |             |                       |           | 1.8   | 10.00     | -         | -          | ●          | -            |  |
| <b>Nexans</b>                         |              |             |             |                       |           |       |           |           |            |            |              |  |
| Nexans HF 75 0.6/2.9 02YS(ST)CH       | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Nexans HF 75 1.6/7.2 02Y(ST)C(ST)H    |              | NBNC75BVZ17 |             |                       |           | 1.8   | 10.00     | -         | -          | ●          | -            |  |
| Nexans HF 75 0.6/3.7 2YCY             | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| <b>Proel</b>                          |              |             |             |                       |           |       |           |           |            |            |              |  |
| Proel HPC 805                         |              | NBNC75BLP7  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Proel HPC 810                         | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Proel HPC 820                         |              | NBNC75BFH6  |             |                       |           | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| <b>RG</b>                             |              |             |             |                       |           |       |           |           |            |            |              |  |
| RG11                                  |              | NBNC75BVZ17 |             |                       |           | 1.8   | 10.00     | -         | -          | ●          | -            |  |
| RG59B/U                               | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| RG179B/U                              |              |             | NBTC75BLI4  |                       |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| <b>SOMMER</b>                         |              |             |             |                       |           |       |           |           |            |            |              |  |
| SOMMER 600-0051 (M/L/S)               | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| SOMMER 600-0054 (M/L/S)               | NBNC75BLP7X  | NBNC75BLP7  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| SOMMER 600-0101M                      | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| SOMMER 600-0104M                      | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| SOMMER 600-162(F), Vctor 0.8/3.7      | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| SOMMER 600-025* -03 (05)              |              |             | NBTC75BLI5  | NBTB75CLI5            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| SOMMER 600-0701                       |              |             | NBTC75BLI5  | NBTB75CLI5            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| SOMMER 600-020* -03 (05)              |              |             | NBTC75BLI5  | NBTB75CLI5            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| SOMMER 600-0451                       | NBNC75BLP9X  | NBNC75BLP9  |             | NBNB75GLP9            | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| SOMMER 600-0751                       |              |             | NBTC75BVX6  |                       |           | 1.6   | 5.00      | ●         | -          | -          | ●            |  |
| <b>Others</b>                         |              |             |             |                       |           |       |           |           |            |            |              |  |
| AT&T 735                              |              |             | NBTC75BSS5  |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| COMM-TEC RGBHV                        |              |             | NBTC75BSS5  |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| BBC PSF 1/3*                          |              | NBNC75BLS7  |             |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| BESCA France - Bengat                 |              |             | NBTC75BNS4  |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Bryant BD SD50                        |              | NBNC75BRS9  |             |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| Bryant BD SD53F                       |              | NBNC75BJP9  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Bryant SD10F, SD11                    | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Bryant SD50F                          | NBNC75BLP9X  | NBNC75BLP9  |             |                       | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| COVID CVD 1300-1500                   |              |             | NBTC75BLI5  | NBTB75CLI5            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| Eupen 705 CRT 5V-HS                   |              | NBNC75BTS11 |             |                       |           | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Extron BNC-5HR                        |              |             | NBTC75BNN5  | NBTB75CINN5           |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Extron BNC-5RC                        | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| GEPCO VDM230                          | NBNC75BDD6X  | NBNC75BDD6  |             |                       | 1.07      | 1.6   | 4.53      | ●         | -          | -          | -            |  |
| GEPCO VPM2000                         | NBNC75BLP9X  | NBNC75BLP9  |             | NBNB75GLP9            | 1.07      | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| GEPCO VSD2001                         | NBNC75BTU11X | NBNC75BTU11 |             |                       | 1.07      | 1.6   | 7.36      | ●         | -          | -          | -            |  |
| Helix 734                             |              | NBNC75BNP9  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Helix 735                             |              |             | NBTC75BSS5  |                       |           | 1.6   | 4.53      | ●         | -          | -          | ●            |  |
| Hirschmann KOKA 712Cu                 |              | NBNC75BTS9  |             |                       |           | 1.6   | 6.47      | ●         | -          | -          | -            |  |
| Kansai 3C-5S                          |              | NBNC75BFH6  |             |                       |           | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Kelsey SD-1                           | NBNC75BFG7X  | NBNC75BFG7  |             |                       | 1.07      | 1.6   | 5.00      | ●         | -          | -          | -            |  |
| Kelsey SD-1-LL                        |              | NBNC75BWS11 |             |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| KROSCHU (341 270, 341 280)            |              |             | NBTC75BLI4  |                       |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |
| Wisi MK 99A                           |              |             | NBNC75BWS12 |                       |           | 1.6   | 7.01      | ●         | -          | -          | -            |  |
| ZNK CM14B                             |              |             | NBTC75BFI4  | NBTB75CFI4            |           | 1.6   | 4.06      | ●         | -          | -          | ●            |  |

\* Registered trademark of BBC

|  | Inner Conductor | Insulator | Cable O.D. mm | Pin crimp mm (square) | Hex Crimp mm | Stripping Tool |            |            |              |
|--|-----------------|-----------|---------------|-----------------------|--------------|----------------|------------|------------|--------------|
|  |                 |           |               |                       |              | CS-BNC-RT      | CS-BNC-LCS | CS-BNC-LCV | + CS-BNC-TCI |

## rearTWIST HD & UHD

|              |       |       |        |                   |       |   |   |   |   |
|--------------|-------|-------|--------|-------------------|-------|---|---|---|---|
| NBLC75BVZ17  | < 1.7 | < 8.0 | < 10.4 | 1.80 (Hex crimp)  | 10.00 | - | - | ● | - |
| NBLC75BSX14  | < 1.4 | < 6.6 | < 9.5  | 1.75 (Hex crimp)  | 9.73  | - | ● | - | - |
| NBNC75BDD6   | < 0.6 | < 2.8 | < 4.3  | 1.6               | 4.53  | ● | - | - | - |
| NBNC75BDD6X  | < 0.6 | < 2.8 | < 4.3  | 1.07              | 4.53  | ● | - | - | - |
| NBNC75BFG7   | < 0.7 | < 3.1 | < 4.7  | 1.6               | 5.00  | ● | - | - | - |
| NBNC75BFG7X  | < 0.7 | < 3.1 | < 4.7  | 1.07              | 5.00  | ● | - | - | - |
| NBNC75BFH6   | < 0.6 | < 3.1 | < 4.9  | 1.6               | 5.00  | ● | - | - | - |
| NBNC75BGG7   | < 0.7 | < 3.2 | < 4.7  | 1.6               | 5.00  | ● | - | - | - |
| NBNC75BHK7   | < 0.7 | < 3.3 | < 5.6  | 1.6 (or 1.75 Hex) | 5.41  | ● | - | - | - |
| NBNC75BIJ9   | < 0.9 | < 3.6 | < 5.3  | 1.6               | 5.41  | ● | - | - | - |
| NBNC75BJJ9   | < 0.9 | < 3.8 | < 5.3  | 1.6               | 5.41  | ● | - | - | - |
| NBNC75BJP9   | < 0.9 | < 3.8 | < 6.3  | 1.6               | 6.47  | ● | - | - | - |
| NBNC75BLP7   | < 0.7 | < 3.8 | < 6.3  | 1.6               | 6.47  | ● | - | - | - |
| NBNC75BLP7X  | < 0.7 | < 3.8 | < 6.3  | 1.07              | 6.47  | ● | - | - | - |
| NBNC75BLP9   | < 0.9 | < 3.8 | < 6.3  | 1.6               | 6.47  | ● | - | - | - |
| NBNC75BLP9X  | < 0.9 | < 3.8 | < 6.3  | 1.07              | 6.47  | ● | - | - | - |
| NBNC75BLS7   | < 0.7 | < 3.8 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BNP9   | < 0.9 | < 4.1 | < 6.3  | 1.6               | 6.47  | ● | - | - | - |
| NBNC75BQP11  | < 1.1 | < 4.5 | < 6.3  | 1.6               | 6.47  | ● | - | - | - |
| NBNC75BRS9   | < 0.9 | < 4.8 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BTS9   | < 0.9 | < 4.7 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BTS11  | < 1.1 | < 4.7 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BTU11  | < 1.1 | < 4.7 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BTU11X | < 1.1 | < 4.7 | < 7.3  | 1.07              | 7.36  | ● | - | - | - |
| NBNC75BTU13  | < 1.3 | < 4.7 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BUU11  | < 1.1 | < 4.9 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BRU11  | < 1.1 | < 4.7 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BWS11  | < 1.1 | < 5.1 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BWS12  | < 1.2 | < 5.1 | < 6.9  | 1.6               | 7.01  | ● | - | - | - |
| NBNC75BWU13  | < 1.4 | < 5.1 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BXU13  | < 1.4 | < 5.3 | < 7.3  | 1.6               | 7.36  | ● | - | - | - |
| NBNC75BXY9   | < 0.9 | < 5.3 | < 8.0  | 1.6               | 8.23  | ● | - | - | - |
| NBNC75BYY9   | < 0.9 | < 5.2 | < 8.0  | 1.6               | 8.23  | ● | - | - | - |
| NBNC75BYY11  | < 1.1 | < 5.2 | < 8.0  | 1.6               | 8.23  | ● | - | - | - |
| NBNC75BZV14  | < 1.4 | < 5.2 | < 8.0  | 1.6 (or 1.75 Hex) | 8.23  | ● | - | - | - |

## rearTWIST TINY

|            |       |       |       |     |      |   |   |   |   |
|------------|-------|-------|-------|-----|------|---|---|---|---|
| NBTC75BFI4 | < 0.4 | < 1.6 | < 2.9 | 1.6 | 4.06 | ● | - | - | ● |
| NBTC75BLI4 | < 0.4 | < 1.8 | < 2.9 | 1.6 | 4.06 | ● | - | - | ● |
| NBTC75BLI5 | < 0.5 | < 1.8 | < 2.9 | 1.6 | 4.06 | ● | - | - | ● |
| NBTC75BNN5 | < 0.5 | < 2.0 | < 3.1 | 1.6 | 4.53 | ● | - | - | ● |
| NBTC75BNS4 | < 0.4 | < 2.0 | < 3.5 | 1.6 | 4.53 | ● | - | - | ● |
| NBTC75BSS5 | < 0.5 | < 2.3 | < 3.4 | 1.6 | 4.53 | ● | - | - | ● |
| NBTC75BVV5 | < 0.5 | < 2.5 | < 3.8 | 1.6 | 5.00 | ● | - | - | ● |
| NBTC75BVX6 | < 0.6 | < 2.5 | < 4.0 | 1.6 | 5.00 | ● | - | - | ● |
| NBTC75BXX5 | < 0.5 | < 2.6 | < 4.0 | 1.6 | 5.00 | ● | - | - | ● |
| NBTC75BXX6 | < 0.6 | < 2.6 | < 4.0 | 1.6 | 5.00 | ● | - | - | ● |

## CABLE JACKS (TINY & PANEL VERSION)

|             |       |       |       |     |      |   |   |   |   |
|-------------|-------|-------|-------|-----|------|---|---|---|---|
| NBTB75CFI4  | < 0.4 | < 1.6 | < 2.9 | 1.6 | 4.06 | ● | - | - | ● |
| NBTB75CNN5  | < 0.5 | < 2.0 | < 3.1 | 1.6 | 4.53 | ● | - | - | ● |
| NBTB75CLI5  | < 0.5 | < 1.8 | < 2.9 | 1.6 | 4.06 | ● | - | - | ● |
| NBNB75GLP9  | < 0.9 | < 3.8 | < 6.3 | 1.6 | 6.47 | ● | - | - | ● |
| NBNB75GUU11 | < 1.1 | < 4.9 | < 7.3 | 1.6 | 7.36 | ● | - | - | ● |
| NBNB75ILP9  | < 0.9 | < 3.8 | < 6.3 | 1.6 | 6.47 | ● | - | - | ● |
| NBNB75IUU11 | < 1.1 | < 4.9 | < 7.3 | 1.6 | 7.36 | ● | - | - | ● |